


**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-1

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 10x12 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	11.8	300
Width (Nominal)	9.6	244
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.8 lb	1.27 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969




**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-2

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 10x12 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	11.8	300
Width (Nominal)	9.6	244
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.4 lb	1.09 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969




**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-3

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 10x12 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	11.8	300
Width (Nominal)	9.6	244
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.5 lb	1.15 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC

LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-4

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 10x12 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	11.8	300
Width (Nominal)	9.6	244
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.7 lb	1.23 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC


LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-5

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 8x10 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	10.0	254
Width (Nominal)	8.0	203
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.0 lb	0.91 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969




**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-6

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An 8x10 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	10.0	254
Width (Nominal)	8.0	203
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	1.8 lb	0.82 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC


LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-7

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An 8x10 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	10.0	254
Width (Nominal)	8.0	203
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	1.9 lb	0.86 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969




**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-8

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An 8x10 multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	10.0	254
Width (Nominal)	8.0	203
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	1.9 lb	0.87 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969



**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-11

LEVEL III

Bullet Resistant Plate

Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

A 6x6 single-curve side plate that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

Length (Nominal)	6 inches	152 mm
Width (Nominal)	6 inches	152 mm
Thickness (Nominal)	1 inch	25.4 mm
Weight (Nominal)	0.9 lb	0.4 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC


LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-17

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An ergonomic multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	11.7	297
Width (Nominal)	8.7	221
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.4 lb	1.09 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969




**LTC**LIGHTWEIGHT
ARMOR SOLUTIONSLTC PRODUCT DATA SHEET
MODEL # 23620-18

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An ergonomic multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	12.5	318
Width (Nominal)	9.5	241
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	2.8 lb	1.27 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC


LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-19

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An ergonomic multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	13.2	335
Width (Nominal)	10.2	259
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	3.2 lb	1.45 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969





LTC


LIGHTWEIGHT
ARMOR SOLUTIONS

LTC PRODUCT DATA SHEET
MODEL # 23620-20

LEVEL III

- Bullet Resistant Plate
- Ballistic Protection to N.I.J. 0101.06 Level III Stand Alone

An ergonomic multi-curve vest insert that is certified N.I.J. 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.



CHARACTERISTICS

	INCHES	MILLIMETERS
Length (Nominal)	14.0	356
Width (Nominal)	11.0	279
Thickness (Nominal)	1.0	25.4
Weight (Nominal)	3.6 lb	1.63 kg

PROTECTION

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY FT/S	STRIKING VELOCITY M/S
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969

